

Anasept Case Study 1

Leg Wound, Clinical Case Study by: Jean O. Galloway, PT-Superior Rehab Center Newport Beach, CA.

Clinical Challenge:

To heal wound on Left Leg

The Patient:

Mr. C. is a 75 year old male who sustained an injury to his left leg while getting out of a boat. Mr. C. Is active and alert with no other major medical issues.

Start of Claim:

First Saw patient on 2/18/2014 (See photo below). Wound measured 2.2 x 1.5. Tissue color was red/black. Patient had incurred the injury approximately 3 weeks prior to being referred here as he thought he could care for it himself. He was using Neosporin and Band-aids. Top skin of wound was still in a small pile in center of wound and had never been removed. I debrided wound and applied Anasept Gel. Wound was covered with Telfa and Island Barrier Dressing. Anasept cleanser was used before and after debriding and that protocol continues.

Continuing Treatment:

Patient seen twice weekly with Anasept Gel continually being used under Telfa and Island Barrier Dressing.

New photo taken on 3/6/2014 (see photo below) showing progress. Wound now measured 2.0 x 1.5. Patient pleased with results to date.

New photo taken once again on 3/28/2014 (see photo below). Wound now measuring 1.5 x 2.0. Progressively getting smaller with good red granulation. Patient pain level had decreased considerably and encouraged by the results to date.

Clinical/Results Statement:

I am very pleased with the results I am receiving from using Anasept Gel and will continue until wound closure.



2/18/2014. First patient visit. Wound measured 2.2 x 1.5.



3/6/2014 Wound shows progress. Measured 2.0 x 1.5



3/28/2014. Wound measuring 1.5 x 2.0

Articles written and photos taken by:
Jean O. Galloway, PT
Superior Rehab Center, Inc.
1441 Superior Ave, Suite B
Newport Beach, CA 92663